




# DISCONTINUED: Davis Vantage Connect (2G)

## Product Images



## Short Description

Remote weather data, versatile integration. Cellular-based (2G), solar-powered unit sends remote weather station data to the Internet.

## Description

**Remote weather data, versatile integration.** Cellular-based, solar-powered unit sends remote weather station data to the Internet.

Davis Vantage Connect sends comprehensive weather data to the web from remote locations, such as vacation or rental homes, ranches, orchards, farms, vineyards and fire hazard areas that lack power or a person to monitor the weather.

- A weather station receiver and cellular modem.
  - Solar powered with battery backup; does not require any external power sources.
  - Self-contained in a weather-resistant shelter.
- 
- Uploads weather data through a cellular connection to WeatherLink.com in 5, 15, or 60-minute intervals, depending on the service plan you choose.
  - Alerts you to alarm conditions in the field the moment they occur.
  - Pairs with Davis' Vantage Pro2 or Vantage Vue integrated sensor suite.

# Additional Information

Country of Manufacture	United States												
Brand	Davis Instruments												
Promotion	<b>This product has been superseded by the <a href="#">Davis Vantage Connect (3G)</a></b>												
Explanation	<p><b>Compatibility &amp; System Requirements</b> IMPORTANT: There are different versions of Vantage Connect that operate in specific countries. Please be sure to choose the product and service plan that is right for your country. The wireless Vantage Connect integrates with:</p> <ol style="list-style-type: none"><li>1. Any existing Vantage Pro2 or Vantage Vue weather station or Weather Envoy</li><li>2. Up to eight wireless Davis Weather Stations, including:<ul style="list-style-type: none"><li>- 1 Vantage Pro2 or Vantage Vue ISS</li><li>- 1 Wireless Leaf &amp; Soil Moisture/Temperature Station</li><li>- 2 Wireless Temperature/Humidity Stations</li><li>- 3 Wireless Temperature Stations</li><li>- 1 Anemometer/Sensor Transmitter Kit</li></ul></li><li>3. Requires at least one Davis Integrated Sensor Suite (ISS) or special purpose station.</li><li>4. A console or Envoy is not required.</li><li>5. WeatherLink software requires a computer running Windows® XP or above.</li><li>6. iPhone®, Android™ and tablet compatible.</li><li>7. Not compatible with original Vantage Pro, Envoy8X, or Mac Software.</li></ol> <p><b>This product requires a service plan and a one-time activation fee of £35 ex VAT.</b></p> <p><b>Plans Available for UK</b></p> <table><tr><th>PLAN</th><th>5 minutes</th><th>15 minutes</th><th>60 minutes</th></tr><tr><td>Product Number</td><td>6632A</td><td>6634A</td><td>6636A</td></tr><tr><td>Update interval</td><td>5-minute</td><td>15-minute</td><td>60-minute</td></tr></table>	PLAN	5 minutes	15 minutes	60 minutes	Product Number	6632A	6634A	6636A	Update interval	5-minute	15-minute	60-minute
PLAN	5 minutes	15 minutes	60 minutes										
Product Number	6632A	6634A	6636A										
Update interval	5-minute	15-minute	60-minute										
Contents	<ul style="list-style-type: none"><li>• Vantage Connect receiver and cellular modem</li><li>• Heavy-duty battery backup</li><li>• WeatherLink software</li><li>• Your own WeatherLink Network account on WeatherLink.com with purchase of a Vantage Connect service plan</li><li>• Hardware to mount to a vertical pole</li></ul> <p><b>Accessories</b></p> <p>In areas with prolonged periods of low light and accessible power, add the 6710 Optional AC Charger Kit. Replace Vantage Connect's internal temperature probe with an external temperature probe (6475 or 6477).</p>												

Ideal For

Professional, Agronomy

## Additional Options

---

**Select a Data Plan**

Data Plan - 60 min uploads (6636A)

Data Plan - 15 min uploads (6634A)

Data Plan - 5 min uploads (6632A)

**Activation fee**

Data Plan Activation Fee (one off)