



Hanwell

Product Images



Short Description

RL8000 radio loggers are a highly flexible solution to a wide variety of low-speed instrumentation problems. The unit offers 8 configurable input channels and a variety of communication options including radio telemetry, TCP/IP and direct wired.

Description

RL8000 radio loggers are a highly flexible solution to a wide variety of low-speed instrumentation problems. The unit offers 8 configurable input channels and a variety of communication options including radio telemetry, TCP/IP and direct wired.

With up to 24bit resolution, the RL8000 offers a data scanning rate of up to once/second with full 50/60Hz rejection. They directly support a wide range of common sensors including PT100's, thermocouples, 4-20mA and bridge devices. The design of the input circuitry ensures that high standards of stability are maintained, with precision calibration becoming a straightforward operation performed via custom software.

The RL8000 is fully compatible with Hanwell Radiolog software and can be readily mixed with the RL2000 2-

channel units.

Additional Information

Promotion	Tempcon no longer represent IMC Hanwell in the UK, however we do calibrate these products. Please contact us to discuss your requirements. View our extensive range of wireless data logging solutions.
Brand	Hanwell
Channel(s)	8
Typical applications	Environmental (Indoor), Non Specific
Measurements	4-20mA, Pressure, Temperature, Universal