

Tempcon Instrumentation Ford Lane Business Park Ford West Sussex BN18 0UZ, UK www.tempcon.co.uk



Discontinued: HOBO U12-011 Temp/RH Data Logger

Product Images











Short Description

The U12-011 Temperature/Relative Humidity Data Logger has been replaced by the NEW HOBO UX100-011 (See related products)

Description

This item has been discontinued - see the UX100-011 for a suitable replacement.

The U12-011 is a small, accurate Data Logger for Temperature and Relative Humidity with 64K memory, 12-bit resolution, internal sensors and direct USB interface for fast download of stored data.

Features:

- Range: -20°C to +70°C
- Relative Humidity Range: 5% to 95% RH
- Blinking LED confirms operation
- Non-volatile memory retains data
- Easy launch and readout via HOBOware software for Windows or for MAC
- Programmable start time/date
- Programmable sampling rate (1 sec to 18 hrs)
- Data can be viewed in three formats: graphical, tabular and deployment stastics
- Use zoom and axis controls
- Control axis, series and legend properties
- Verifies logger before launch or while logging
- Displays memory used and battery voltage
- 'One-click' easy upload into Excel and other programs

Additional Information

	This item has been discontinued - see the UX100-011
Promotion	for a suitable replacement.
Brand	Onset HOBO
Channel(s)	2
Onset Product Series	U12
Typical applications	Environmental (Indoor)
Measurements	Humidity, Temperature

Additional Options

Calibration CertificateTemperature & Humidity Calibration @ 20°C and 50RH	Calibration Certificate	Temperature & Humidity Calibration @ 20°C and 50RH
---	-------------------------	--