




# HOBOWare Pro Software on CD (Windows and MAC)

## Product Images



## Short Description

HOBOWare® data logging software lets you view, graph and analyse data with point-and-click simplicity.

## Description

---

**HOBOWare® data logging software lets you view, graph and analyse data with point-and-click simplicity.**

Plot or export data to spreadsheets to conduct analysis necessary for your project. HOBOWare® Pro is easy to set up and its intuitive, point-and-click interface makes it simple to run. This data logging application is compatible with all HOBO data loggers and wireless data nodes.

### HOBOWare Pro Key Features

- Powerful software for logger management, data graphing, data analysis, and data export
- Data Assistants and Real-Time Alarm Plug-ins provide advance data analysis, monitoring and notifications
- Mac and Windows compatible (see system requirements below)
- Multi-Language Support (English / Spanish / French / German / Polish / Portuguese / Japanese / Korean / Simplified Chinese / Traditional Chinese)

Note: A USB cable is included with BHW-PRO-CD and BHW-PRO-USB. HOBOWare data logger software must be purchased one license per computer. HOBOWare Pro is non-refundable upon receipt of software license key.

HOBOWare features comparison					HOBOWare	HOBOWare Pro
Explanation	Support for all HOBOWare data loggers *	✓	✓			
	Quickly generate presentation-quality graphs	✓	✓			
	Copy & paste series	✓	✓			
	Merge data files	✓	✓			
	Save modified graphs as projects	✓	✓			
	Easy data export to XLS, CSV & TXT files	✓	✓			
	Linear & pulse scaling data assistants	✓	✓			
	Multi-Language Support (English/Spanish/French/German/Portuguese/Japanese/Simplified Chinese/Traditional Chinese/Korean)	✓	✓			
	Time-saving tools for fast setup, readout & export			✓		
	Data Assistants for Dissolved Oxygen, Conductivity, Water Level, Growing Degree Days, Grains per Pound & kWh			✓		
	Ability to create Pie Charts			✓		
	Crop a series to a specific time frame			✓		
	Subset Statistics Tool for details within a time frame			✓		
	<u>21 CFR Part 11 Compliance</u>			✓		
	Data Shuttle support			✓		
	HOBOWare Manager to support ZW Data Nodes			✓		
						<a href="#">Free Download</a>
*CX, MX, and other BLE loggers require iOS or Android mobile devices and HOBOWareconnect or InTemp software, available free from the Android or Apple app stores. Certain loggers (U20s, U24's, U26's) require data assistants (only available in HOBOWare Pro) to provide the most accurate data.						
<b>System Requirements</b>						
• HOBOWare is not certified to run on Enterprise versions of any version of Windows and is not certified to run on Server versions of Windows. It is certified to run on Windows 10 (Home, Pro), Windows 11 (Home, Pro).						
• HOBOWare is certified to run on macOS Versions 10.15 (Catalina), 11.0 (Big Sur), 12.0 (Monterey).						
• HOBOWare no longer needs a Java Runtime Environment on your computer. We include the JRE in HOBOWare itself.						
<b>Processor Speed, Memory and Disk Space Requirements</b>						
	High End	Mid Range	Low End	Lowest End		
CPU	2.9 GHz dual core	2.0 GHz dual core	1.8 GHz single core	1.8 GHz single core		
RAM	3 GB	2 GB	1.5 GB	1 GB		
Disk Space * see note	100 GB+	50 GB+	20 GB+	300 MB		
User Model	4	3	2	1		
The User Model row suggests some guidelines for using the Processor Speed and Memory table: User Model 1 - Using HOBOWare Data loggers only, no data nodes - traditional desktop user User Model 2 - Using HOBOWare Data loggers and up to 5 data nodes, 20 sensors User Model 3 - Using HOBOWare Data loggers and up to 50 data nodes, 100 sensors User Model 4 - Using HOBOWare Data loggers and up to 100 data nodes, 200 sensors						
* <b>Disk Space</b> - Defining the disk space requirements for HOBOWare depends on the proposed use. The table above describes the disk space needed for a traditional desktop user, allowing for installation of the program and storage of data files. For users of HOBOWare data nodes, the space requirements depend on a variety of factors, including the number of nodes, the number of sensors, the frequency of data sampling, the longevity of deployments, and other factors.						
Brand						