

Call our friendly team on +44 (0)1243 558270 Tempcon Instrumentation Ford Lane Business Park Ford West Sussex BN18 OUZ, UK www.tempcon.co.uk



Dickson PR350 Small Pressure data Logger

Product Images



Short Description

The PR350 is a compact and discreet pressure data logger that fits in toolboxes, tight corners or in wide open spaces without attracting attention. The PR350 was built for real-world water and gas pressure monitoring.

Description

PR350 Key Features

- USB Downloading
- 0-300 PSI (PSI, ATM, Bar, mBar, InH2O, FtH2O, mmH2O, mmHG, InHg, Pascal, kP, MCA)
- Water resistant case
- 3 year battery

- Pressure sensor includes built in diaphragm seal
- Delayed Start

Additional Information

Explanation	 Ambient Operating RH Conditions 0 to 100% RH Ambient Operating Temperature Conditions22 to 122F (0 to 50C) ApprovalsCE Battery Life (Avg)1 Year at 5 minute sample rate (also dependent on operating environment) Calibration OptionsN100, N300 Data Capacity7936 Download Time45 Seconds Download TypeUSB EnclosureWater Resistant Stainless Steel Fitting1/4" NPT Thread, 5/8" Hex (Sensor includes built-in Diaphragm Seal) IP Rating65 Included AccessoriesOne 3.6 V Lithium Battery and Quick Start Guide. *Software sold separately. 	 Minimum Software Version Required17.16 PC Requirements Microsoft Windows 98 or newer, 4 MB RAM, 1 free COM (serial) port, CD drive Power Source3.6 V Lithium Battery (User Replaceable); Battery Power Status IndicatorLED Indicator Pressure Accuracy1% Pressure Range0 to 300PSI Sample IntervalUser Selectable (from 10 seconds to 24 hour intervals, in 10 second increments). Unit Weight1 lb Units of MeasurePSI, ATM, Bar, mBar, InH2O, FtH2O, mmH2O, mmHG, InHg, Pascal, kP, MCA Units/Pkg1 Warranty12 Month Limited
Brand	Dickson	
Typical applications	Building Monitoring, HVAC, Industrial	
Measurements	Pressure	

Additional Options

Software (required to setup your Dickson loggers, view and download data) DicksonWare Software