



Dickson PR350 Small Pressure data Logger

Product Images



Short Description

The PR350 is a compact and discreet pressure data logger that fits in toolboxes, tight corners or in wide open spaces without attracting attention. The PR350 was built for real-world water and gas pressure monitoring.

Description

PR350 Key Features

- USB Downloading
- 0-300 PSI (PSI, ATM, Bar, mBar, InH₂O, FtH₂O, mmH₂O, mmHG, InHg, Pascal, kP, MCA)
- Water resistant case
- 3 year battery

- Pressure sensor includes built in diaphragm seal
- Delayed Start

Additional Information

Explanation	<ul style="list-style-type: none"> • Ambient Operating RH Conditions 0 to 100% RH • Ambient Operating Temperature Conditions 22 to 122F (0 to 50C) • Approvals CE • Battery Life (Avg) 1 Year at 5 minute sample rate (also dependent on operating environment) • Calibration Options N100, N300 • Data Capacity 7936 • Download Time 45 Seconds • Download Type USB • Enclosure Water Resistant Stainless Steel • Fitting 1/4" NPT Thread, 5/8" Hex (Sensor includes built-in Diaphragm Seal) • IP Rating 65 • Included Accessories One 3.6 V Lithium Battery and Quick Start Guide. *Software sold separately. • Minimum Software Version Required 17.16 • PC Requirements Microsoft Windows 98 or newer, 4 MB RAM, 1 free COM (serial) port, CD drive • Power Source 3.6 V Lithium Battery (User Replaceable); Battery • Power Status Indicator LED Indicator • Pressure Accuracy 1% • Pressure Range 0 to 300PSI • Sample Interval User Selectable (from 10 seconds to 24 hour intervals, in 10 second increments). • Unit Weight 1 lb • Units of Measure PSI, ATM, Bar, mBar, InH2O, FtH2O, mmH2O, mmHG, InHg, Pascal, kP, MCA • Units/Pkg 1 • Warranty 12 Month Limited
Brand	Dickson
Typical applications	Building Monitoring, HVAC, Industrial
Measurements	Pressure

Additional Options

Software (required to setup your Dickson loggers, view and download data)	DicksonWare Software
--	----------------------