



Dickson PR150 Small Pressure Data Logger

Product Images



Short Description

The PR150 is a compact and discreet pressure data logger that fits in toolboxes, tight corners or in wide open spaces without attracting attention. The PR150 was built for real-world water and gas pressure monitoring.

Description

- NEW! USB Downloading
- 0-100 PSI (PSI, ATM, Bar, mBar, InH2O, FtH2O, mmH2O, mmHG, InHg, Pascal, kP, MCA)
- Water resistant case
- 3 year battery
- Pressure sensor includes built in diaphragm seal
- Delayed Start

Additional Information

| | |
|----------------------|--|
| Explanation | <ul style="list-style-type: none">• Ambient Operating RH Conditions 0 to 100% RH• Ambient Operating Temperature Conditions 22 to 122F (0 to 50C)• Approvals CE• Battery Life (Avg) 1 Year at 5 minute sample rate (also dependent on operating environment)• Calibration Options N100, N300• Data Capacity 32512• Delayed Start Yes• Dimensions 2 x 2 x 2inches (58 x 58 x 58cm)• Download Time 45 Seconds• Download Type USB• Enclosure Water Resistant Stainless Steel• Fitting 1/4" NPT Thread, 5/8" Hex (Sensor includes built-in Diaphragm Seal)• IP Rating 65• Included Accessories One 3.6 V Lithium Battery and Quick Start Guide. *Software sold separately.• Minimum Software Version Required 17.16• PC Requirements Microsoft Windows 98 or newer, 4 MB RAM, 1 free COM (serial) port, CD drive• Power Source 3.6 V Lithium Battery (User Replaceable); Battery• Pressure Accuracy 1%• Pressure Range 0 to 100PSI• Sample Interval User Selectable (from 10 seconds to 24 hour intervals, in 10 second increments).• Unit Weight 1 lb• Units of Measure PSI, ATM, Bar, mBar, InH2O, FtH2O, mmH2O, mmHG, InHg, Pascal, kP, MCA• Units/Pkg 1• Warranty 12-Month Limited |
| Brand | Dickson |
| Typical applications | Building Monitoring, HVAC, Industrial |
| Measurements | Pressure |

Additional Options

Software (required to setup your Dickson loggers, view and download data) DicksonWare Software