



Call our friendly team on  
+44 (0)1243 558270

Tempcon Instrumentation  
Ford Lane Business Park  
Ford  
West Sussex  
BN18 0UZ, UK  
www.tempcon.co.uk



# Mobile Alerts MA10001 Remote Temperature Monitoring System - Monitor via Mobile App

## Product Images



## Short Description

Remote temperature sensor monitoring from Technoline. Monitor the temperature at your home or business via the SmartPhone App and Internet Gateway.

## Description

---

### **Monitor temperature remotely via your smartphone or tablet (Android and iOS).**

All temperature information is displayed clearly on your smartphone or tablet (Android and iOS). Mobile-Alerts automatically sends alerts to your device when temperatures exceed the alert levels you have set.

The temperature sensor connects wirelessly to the included internet gateway which regularly transmits data to the Mobile-Alerts Cloud Server. Once you have downloaded the free Mobile-Alerts app to your tablet or smartphone you can view the temperature at any time (to try the app, search 'Mobile-Alerts' on Google Play or the Apple App Store)

Common uses are monitoring the temperature around the house, in greenhouses, chiller rooms, kids bedrooms, care homes, store rooms, hydroponics etc. Also popular for remotely keeping an eye on the room temperature of elderly friends or family living alone.

### **Key Features**

- Accurate temperature monitoring remotely displayed to your Smart Phone or tablet (Android and iOS) wherever you are in the world via the Internet
- Set minimum and/or maximum temperature alerts for automatic Mobile-Alerts notification to your smartphone or tablet
- Temperature range: -29.9°C to + 59.9°C
- Range from sensor to included internet gateway: up to 100m.

## Additional Information

Brand	Technoline
Contents	MA10100 Indoor/Outdoor Temperature Sensor MA10000 Internet Gateway Fixing Clip x2 Screws Network Cable Power Adaptor User Manual
Ideal For	Professional, Amateur, Interested, Gardeners
Measurements	Temperature
Power	Battery only
Compatibility	Apple compatibility: iOS 7.0 or later. Compatible with iPhone, iPad, and iPod touch. Android compatibility: version 3.0 or later.
Sensors	Includes indoor/outdoor temperature sensor. The Internet gateway can support up to 50 additional sensors. Optional sensors include humidity, rain, wind, water, door/window contact, air quality and fire alarm sound detection.
Dimensions	MA10000 Internet Gateway: 103x27x40 mm (L x W x D) MA10100 Indoor/Outdoor Temperature Sensor: 87x14x33 mm (L x W x D)
Power	Mains (Internet gateway), 2x AAA 1.5V batteries (Temperature sensor)
Installation	An internet connection is needed within range of the temperature sensor (approx 100 metres open space) with the gateway plugging directly into your internet router using the RJ45 ethernet cable provided. Setup is very straightforward and the gateway automatically detects any other Mobile Alerts sensors that are within range.
Specification	Temperature range: -29.9°C to +59.9°C Temperature accuracy: 1°C Temperature measuring interval: 7 minutes Transmission range: 100m Transmission frequency: 868 MHz

## Additional Options

---

**Add optional display unit**

MA10901 Weather Display