

Tempcon Instrumentation Ford Lane Business Park Ford West Sussex BN18 0UZ, UK www.tempcon.co.uk



## Fluke 64 MAX Infrared Thermometer

### **Product Images**





## **Short Description**

The Fluke 64 MAX IR Thermometer has the precision you need to do your job accurately and will not break the budget. Designed and tested to survive a 3 meter drop, you can count on this lightweight, compact infrared thermometer to work when you need it to work – even in the harshest environments and when you're not able to be there.

## **Description**

The Fluke 64 MAX IR Thermometer has the precision you need to do your job accurately and will not break the budget.

Designed and tested to survive a 3 meter drop, you can count on this lightweight, compact infrared thermometer to work when you need it to work – even in the harshest environments and when you're not able to be there.

#### **Key Features**

- Precise laser technology for more accurate and repeatable measurements
- Temperature accuracy of up to ± 1°C or ± 1% of reading whichever is greater with 20:1 distance to spot ratio
- Flashlight and large, easy-to-read backlit LCD display for easy viewing even in dark environment
- IP54 rated for extra protection against airborne contaminants
- Get your tool to work when you can't set time and desired interval between measurements and Auto Capture will capture spot temperatures unattended
- 99 data point logging
- 30 hour battery life so your tool can perform as long as you need it to
- Displays the minimum, maximum or average temperature, or the difference between two measurements
- Hi and Lo alarms for rapid display of measurements outside set limits
- Small and lightweight design fits easily into your tool box
- Powered by one (1) AA alkaline battery

#### **Additional Features**

- Temperature range: -30 °c to 600 °c (-22 °f to 1112 °f)
- Temperature accuracy:  $\pm$  1.0 °c or  $\pm$  1.0 % of reading, whichever is greater  $\pm$  2.0 °c at -10 °c to 0 °c  $\pm$  3.0 °c at -30 °c to -10 °c
- Distance:spot: 20:1 62 max+ 12:1 62 max 10:1
- Internal memory: 99 data point logging
- Auto capture: Yes

#### **Additional Information**

Brand	Fluke
Maximum Temperature	+600
Typical applications	Environmental (Indoor), Environmental (Outdoor), Industrial
Measurements	Temperature

# **Additional Options**

Temperature Calibration Certificate	2 Point Temperature Calibration (0°C / 60°C)
	2 Point Temperature Calibration (please specify temperature points)
	1 Point Temperature Calibration (0°C)