

Tempcon Instrumentation Ford Lane Business Park Ford West Sussex BN18 0UZ, UK www.tempcon.co.uk



# **HOBOnet Manager (UK & Europe Model)**

#### **Product Images**





### **Short Description**

The HOBOnet Wireless Manager module is installed in an RX3000 station. Data is transmitted wirelessly from sensors across the network to the RX3000 station and then uploaded to HOBOlink, Onset's innovative cloud-based software platform.

### **Description**

The HOBOnet Wireless Manager module is installed in an RX3000 data logging station. Data is transmitted wirelessly from sensors across the network to the RX3000 station and then uploaded to HOBOlink; Onset's innovative cloud-based software platform.

#### **Highlighted Features**

- 900 MHz wireless mesh self-healing technology
- 450 to 600 meter (1,500 to 2,000 feet) wireless range and up to five hops
- Up to 50 wireless sensors per RX3000
- Plugs into RX3000 Flex Port.

**Note:** A complete HOBOnet system requires at least one HOBO RX3000 Remote Monitoring Station, a HOBOnet Wireless Manager, and a HOBOnet Wireless Sensor. HOBOnet Wireless Repeaters can be added to extend the range.

For full specifications for this product, please see the User Manual found under the Resources tab below.

## **Additional Information**

Country of Manufacture	United States		
Brand	Onset HOBO	Onset HOBO	
Typical applications	Environmental (Outdoor), Field Research, Weather Monitoring		
	Operating Temperature Range	-25° to 60°C (-13° to 140°F)	
	Radio Power	12.6 mW (+11 dBm) non- adjustable	
	Transmission Range	Reliable connection to 457.2 m (1,500 ft) line of sight at 1.8 m (6 ft) high Reliable connection to 609.6 m (2,000 ft) line of sight at 3 m (10 ft) high	
	Wireless Data Standard	IEEE 802.15.4	
	Radio Operating Frequencies	RXMOD-RXW-900: 904–924 MHz RXMOD-RXW-868: 866.5 MHz RXMOD-RXW-922: 916–924 MHz	
	Modulation Employed	OQPSK (Offset Quadrature Phase Shift Keying)	
Explanation	Data Rate	Up to 250 kbps, non-adjustable	
	Duty Cycle	<1%	
	Maximum Number of Motes	50 motes per one RX Wireless Sensor Network	
	Power Source	Powered by the RX3000 station	
	Dimensions	Mote: 16.2 x 8.59 x 4.14 cm (6.38 x 3.38 x 1.63 inches) Cable length: 2 m (6.56 ft)	
	Weight	Mote: 159 g (5.62 oz)	
	Materials	Mote: PCPBT, silicone rubber seal	
	<b>Environmental Rating</b>	Mote: IP67, NEMA 6	
	Compliance Marks	RXMOD-RXW-900 RXMOD-RXW-868 RXMOD-RXW-922	
Ideal For	Professional, Agronomy		